

3D object representation

In order of importance:

- Polyhedra
- Bi-cubic parametric patches
- Procedural representation, fractals
 - Constructive solid geometry
- Implicit representation by quadrics

plus...



3D object representation


Advanced representations:

- Density volumes/voxel representations
 - Point-based representations
 - Level sets



Polyhedra representations

Dominant in real-time graphics Less suited for off-line rendering



Vertex table v1 = x1, y1, z1 v2 = x2, y2, z2 v3 = x3, y3, z3 v4 = x4, y4, z4

v5 = x5, y5, z5

Surface table s1 = v1, v2, v3 s2 = v2, v5, v3 s3 = v1, v3, v5, v4



Making our own models

Many powerful commericial tools (Maya, 3D Studio Max etc)

Free tools (nice for project work):


Blender Wings3D



Implicit representations: Quadric surfaces

Surfaces represented by second-degree polynomials

Sphere Ellipsoid Torus Cone







Sphere


Equation:

$$x^2 + y^2 + z^2 = r^2$$

Parametric:

$$x = r \cos \phi \cos \theta$$

 $y = r \cos \phi \sin \theta$
 $z = r \sin \phi$



$$-\pi/2 \le \phi \le \pi/2$$
$$-\pi \le \theta \le \pi$$





Ellipsoid Equation:

$$x^2/r_x^2 + y^2/r_y^2 + z^2/r_z^2 = 1$$

Parametric:

$$x = r_x \cos \phi \cos \theta$$
$$y = r_y \cos \phi \sin \theta$$
$$z = r_z \sin \phi$$

$$-\pi/2 \le \phi \le \pi/2$$
$$-\pi \le \theta \le \pi$$





Torus

Rotate a circle around an axis

Equation:

$$(r - sqrt(x^2/r_x^2 + y^2/r_y^2))^2 + z^2/r_z^2 = 1$$

$$x = r_x (r + \cos \phi) \cos \theta$$

$$y = r_y (r + \cos \phi) \sin \theta$$

$$z = r_z \sin \phi$$

$$-\pi \le \phi \le \pi$$

 $-\pi \le \theta \le \pi$



Quadric surfaces

Limited possibilities. Slightly more freedom can be achieved with "superquadrics"

Many quadric surfaces are hard to rotate freely

Rendering packages replace them with meshes (polygons or curved surfaces)

Are quadrics outdated?

Superquadrics:


Example: Superellipse


$$x = r_x \cos \theta$$
$$y = r_y \sin \theta$$


$$s = 0.1$$


$$(x/r_x)^{2/s} + (y/r_y)^{2/s} = 1$$

$$s = 5.0$$









$$s = 0.5$$

$$s = 1.0$$

$$s = 1.5$$
 $s = 2.0$

$$s = 2.0$$

$$s = 2.5$$



So where do we find quadrics today?


- Raytracing (especially simpler ones)
 - Bounding shapes for VSD
 - Simplified collisions

but rarely for real-time rendering




Constructive Solid Geometry


Define shapes by Boolean operations on other shapes



Union (a or b)



Difference (a and not b)




Images from Wikipedia

Intersection (a and b)



Constructive Solid Geometry



Good shapes in somewhat useful.

Limited shapes in - limited results.