

TNM084 Procedural images

Ingemar Ragnemalm, ISY







Lecture 1

- Course goals and contents
 - Lectures, labs, projects
 - Time plan
 - Examination
 - Interactive poll
- Base functions and basic procedural generation





Who am I?

Lecturer Researcher Hacker (in the legal sense) Game designer Geocacher

Who are you?

Students in 4th or 5th year Most likely in the Media Technology program Considerable knowledge but maybe so much graphics lately





Procedural *Images*?

We will produce images, but not only that.

Images usually means *textures*.

- Simple procedural images
 - Noise-based images
- Procedural 2D animations
 - Procedural 3D shapes

• Fractals

More generally speaking: Procedural generation of *assets*.





Learning goals

1) Knowledge of the principles for procedural generation of assets, including noise functions and fractals, plus shader programming

2) Practical experience by laborations

3) Deeper knowledge of a chosen specific problem as a project

Everybody should learn something new!



The different parts of the course

Basic procedural image/ texture generation

Random numbers

Noise functions

Shaders

Fractals

3D geometry

Real-time





News last year

Pretty damn *everything*!

• Replacing Stefan Gustavson as course leader. (He is still involved as advisor.) Much more participants than usual

New course model based on TSBK07 and TSBK03 (because they work).

• Much old course material remains, but:

- All lectures are made from scratch
 - New labs, 99% new
- Additional examination on the labs
- Projects are to be presented orally (by video) at the end

News this year

- Number of participants back to normal.
- Projects do not have to be solo this time.
- Projects are planned to be presented on location. (This might change.)





Course book

Out of print, NOT available as physical copies but available on-line.

8(49)



Course page

https://www.computer-graphics.se/TNM084/

Brand new page last year!

My adress:

ingemar.ragnemalm@liu.se ingemar@ragnemalm.se

Linköping B-house, between entrance 25 and 27 upper floor. (The door with all the comics!)



Overview

- 10 lectures
- 4 laborations
 - Project

Same model as my other courses

Start with the lectures as a base

Practice with given tasks: laborations

Projects: Considerable freedom, go deeper into something you really want to do!



Lecture plan (preliminary)

1: Intro, simple procedural images 2: Randomness, Perlin noise 3: OpenGL and GLSL 4: More noise functions, Voronoi noise, anti-aliasing 5: OSL, Open Shading Language 6: Procedural geometry, fractals 7: Procedural grammars, fractal terrains, Fractal Brownian Motion 8: Instancing, Geometry and tesselation shaders 9: Particle systems, billboards, FBOs 10: Repetition, project discussions, loose ends





Examination

- Laborations demonstrated to the lab assistants
- Short tests ("duggor") at start of laboration 1-4 + retake at 5th
- Projects are accounted for orally (with a video or on location) and by a report

Note: I want your reports to be public, I want to upload them to the course page so everybody can check out what the others did.

Possibly even the videos, but is that too sensitive? Explicit yes or no?



Laborations

1: Generation of images on CPU and GPU 2: Generation of images with OSL 3: Procedural geometry generation (terrains, trees) 4: Geometry and tesselation shaders (procedural planet)

> X1: Extra lab 1 + retake X2: Extra lab 2







We fit in one lab (but we have two), no booking needed. Work in pairs.

You may use your own computer if you prefer that.



OpenGL 3.2+ = Modern OpenGL!

We are using OpenGL for much of the course (everything except OSL). OpenGL 3.2 is our "baseline", where modern OpenGL starts. You are free to use newer versions as you please.

> Old OpenGL = Upp till 2.1. Modern = 3.2 och upp. Latest = 4.6.

Modern = Always shaders, always VAOs, old calls are taken out. Better performance, more flexible, the math is more visible.



Time plan for projects

Tight! You need to make progress fast.

During the lectures: Search for project ideas.

2/12: Last lecture: Your project plan should be handed in and approved. Earlier if possible.

12-16/12: Half-time check (informal).

In january, before VT1: Project presentation video (!) (or, possibly, presentations on location) and report.



About the project

- Choose from your interests and ambition level
- No fixed list with projects to choose from (since it would limit you)
 - Focus on some interesting problem/algorithm
 - Feel free to go beyond the book/course material.
- You may base your work on the lab material, using C or C++, but you are allowed to use other material.



Concerning external material, language, platform

Anything goes! (Essentially.)

You should use tools that makes you as productive as possible.

You can use code and libraries found on-line.

Beware: Only use things you are sure will help. External libraries will sometimes cost you more than you gain!

but my general message about external sources is:



Cheating is allowed if it is properly documented!

I must know what you did, and what you got from someone else.

Connection to other projects? Allowed, if it is clear what belongs here and what belongs in the other project. (If that other project is not in another of my courses, you need OK from the other examiner.)





Literature search

Google and Wikipedia are not the best sources! Try this:

dl.acm.org

If you Google use Google Scholar!





Grades = project + tests at labs (duggorna)!

- Up to 50 points
- Limits: 20, 30, 40
- 20 points on duggor (max 5p each) • 30 points on the project
- "Duggor" are not related to being allowed to do the lab. Everybody can do the labs regardless of score.



Scores

(Rip-off of TSBK03)

5p presentation (prepared, nice, understandable, nice demo) 5p report (neat, readable, proper references) 10p technical quality (was it interesting, beyond course base?) 8p goal fulfilment 2p on time

Note that top grade is not guaranteed only on technical quality - but it helps.



Total hand-in material

Important!

Your total hand-in consists of

Initial project plan

and at the end of the course

• Report (PDF, filename should include LiU ID)

• Source code (repository link)

• Presentation video with theory and demo, max 15 minutes.

You can use Zoom to create it. Should also be delivered using a link.



Questions

on the course, grades, projects etc...?





Online poll you work! We can not adjust everything on-the-fly but we can adapt to known needs. Help us to make a good course that fits you! Use web browser:

Information Coding / Computer Graphics, ISY, LiTH I need to know who you are, what pre-knowledge you have, how https://ragnemalm.se/ingisquiz/



Functions

Important tools that we are going to use.

- abs, min, max
- sin, cos
- floor, ceiling, mod
- clamp
- step
- smoothstep
- splines
- fract





Harmonic functions

Our dear sin and cos

Floor, ceiling, mod

Well known standard functions

Floor = integer part

Ceiling = integer, but up

mod = modulo





Matrix multiplication

Translation

Rotation

Scaling

Mirroring

Color transformations







1 0 0	0 1 0 0	0 0 1 0	t _x t _y t _z 1		
s _x 0 0 0	0 Sy 0 0	,	0 0 s _z 0	0 0 0 1_	
-1 0 0 0	0 1 0 0		0 0 1 0	0 0 0 1	





Mix

```
Linear interpolation
```

```
mix(rand(i), rand(i + 1.0), f);
float mix(float a, float b, float f)
{
    f = clamp(f, 0, 1);
    return f*a + (1-f)*b;
}
```





Fract

Fractional part

Take away the integer part

fract(a) = a - (int)a = a - floor(a)

(Same only for positive numbers)

fract(12.34) = 0.34





Abs, max, min

Well known standard functions

```
float abs(float a)
                            float max(float a, float b)
 if (a < 0)
                              if (a < b)
                               return b;
   return -a;
 else
                              else
   return a;
                               return a;
}
                            float min(float a, float b)
                              if (a < b)
                                return a;
                              else
                               return b;
```



Clamp

```
b-
             Limit the output to a range
float clamp(float x, float a, float b)
                                               а
  return (x < a ? a: (x > b ? b : x));
}
                                                     а
              or a bit more readable
float clamp(float x, float a, float b)
  if (x < a)
                                             or simply
    return a;
  else if (x > b)
                            float clamp(float x, float a, float b)
    return b
  else
                              return min(max(x, a), b);
    return x;
}
                            }
```





Step (Heaviside step function)

A simple 0-1 transistion

35(49)







Smoothstep

A smooth 0-1 transistion







Smoothstep is really a spline!

Spline = a curve defined by a polynomial

Usually 3rd or 4th degree polynomial

Common splines:

Bézier (3r or 4th degree)

Catmull-Rom





Splines

Mathematically described curves Commonly used for 2D drawings Also useful for describing movement paths Can be combined to surfaces





Bézier splines

2nd or 3rd degree polynomials

3 or 4 control points per section

Does not pass through all control points

Catull-Rom splines

3rd degree polynomials

4 control points per section

Passes through all control points

More on these later





Regular patterns

Sequential patterns

Parallell patterns

Animated patterns





Regular patterns

Repeated patterns

No randomness







Sequential patterns

Generate a patterns by sequentially drawing objects

Intuitive

Easy to design

Inefficient





Sequential pattern, examples

Checkerboard

Circles placed in selected locations

Bars drawn the screen in 2 directions

Brick wall

Based on placing shapes





Parallel patterns

Calculates each pixel individually

Based on functions of the location

Independent calculations

Suitable for parallel implementation

= GPU friendly!





Parallel patterns, examples

Brick wall, circles - same as before but described differently





Animated patterns

Add a time variable

Affect some variable, color, location...

CPU: glUniform1f(glGetUniformLocation(program, "time"), glutGet(GLUT_ELAPSED_TIME) / 1000.0);

GPU:

uniform float time;

if (sqrt(xx*xx + yy*yy) > 0.55 + sin(time)/4.0)





Regular patterns, conclusion

Good for fixed, manual designs

Hard to make interesting and varied

Should be based on location, parallell friendly

Next: Add randomness!





Parallel patterns, GPU vs CPU

Lab material for lab 1

Initial: Trivial patterns for both CPU and GPU







End of lecture 1

Questions?

