

# Computations on graphics processors

Ingemar Ragnemalm Information Coding, ISY



Information Coding / Computer Graphics, ISY, LiTH

Did you find it amazing to run on 8 cores in a single desktop?



Did you find it amazing to run on 8 cores in a single desktop?

# How about doing that with 1300+ cores?



Information Coding / Computer Graphics, ISY, LiTH

# This lecture:

Plan for this part of the course

GPU evolution

**GPU** architecture

A first intro to general computing solutions with GPUs



# Course plan:

5 lectures

1 lesson

3 labs



Information Coding / Computer Graphics, ISY, LiTH

## Lectures:

1 (9). GPU evolution and architecture

2 (10). Intro to CUDA

3 (11). CUDA memory, threads, synchonization

4 (12). More CUDA, computing with shaders

5 (13). Intro to OpenCL



# Labs:

1 (4). CUDA

2 (5). More CUDA

3 (6). OpenCL

No lab reports, demonstrations in the lab



Information Coding / Computer Graphics, ISY, LiTH

# Literature for this part

Primary source: CUDA on-line manual

Recommended extra: CUDA by example (Sanders & Kandrot)

**Hand-outs** 

**Lecture material** 



# Questions

- 1. How can a GPU be much faster than a CPU?
- 2. Why is the G80 so much faster than the previous GPUs (e.g. 7000 series)?
- 3. A texturing unit provides access to texture memory. What more is it than just another memory?
  - 4. Suggest two major differences in the Fermi architecture that will make a difference from the G80/G92/GT200



Information Coding / Computer Graphics, ISY, LiTH

#### The decline of CPU evolution

Three "walls":



### The decline of CPU evolution

Three "walls":

**Tenessee Waltz** 

Max Wall

Wall-E



Information Coding / Computer Graphics, ISY, LiTH

### The decline of CPU evolution

Three "walls":



#### The decline of CPU evolution

Three "walls":

Power wall

Memory wall

ILP wall



Information Coding / Computer Graphics, ISY, LiTH

### The decline of CPU evolution

Three "walls":

Power wall

**Memory wall** 


**ILP** wall

- · Clock frequency can no longer go up
- The memory architecture is insufficient
  - · Attempts to parallelize have failed



#### Power wall

13% higher frequency = 73% more (almost double) double power consumption!





Information Coding / Computer Graphics, ISY, LiTH

#### Power wall

Reverse reasoning: Lower frequency a little, win much power.

Replace one high-frequency CPU with two slightly slower - for the same cost!

Works nicely for two CPUs.

Intel promises 80 cores in a few years

**BUT** 

this will run into the "memory wall"



### **Memory wall**

Already, the memory is slower than the CPU.

With more and more CPUs fighting for accessing the same RAM and caches, efficiency will degrade!

Memory bandwidth helps - if we can get it.



Information Coding / Computer Graphics, ISY, LiTH

#### **ILP** wall

Instruction level parallelism

Many parallel systems have been made in the past. They have all suffered from one problem: It takes an effort to program them. Programs must be rewritten to fit. The programs must be parallelized.

But one problem here has been availability. The machines were there, but you couldn't just sit down and try it out at any time! Awkward tools, few machines, unavailable experts, nobody could help.

Another problem in the past was that the standard CPUs caught up too quickly with parallel machines.